

Ágrisol	MATERI	AL SAFE	TY DATA	SHEE	T Page 1 of 3			
	SECTION 1 -	- PRODUCT I	DENTIFICATIO	ON AND US	E			
	JRF 0-0-1 +5Fe							
IDENTIFIER:	avid Familiaan		CUDDI IEDIC	Compag	manufaatuuau			
PRODUCT USE: Li	iquid Fertilizer SUPPLIER'S Same as manufacturer NAME:							
MANUFACTURER'S NAME:	MANUFACTURER'S Agrisol Manufacturing Inc. ADDRESS: Same as manufacturer							
<b>ADDRESS:</b> 220 – 7565, 132	2 Street							
Surrey, BC, V3	•							
Canada								
<b>Emergency Phone No</b> : 1(604	1) 805-2417							
Emergency 1 none 100. 1(00-	·	)N 2 – HAZAR	RDOUS INGRED	IENTS				
				NGREDIEN	Γ			
HAZARDOUS INGI	REDIENTS	CAS	# (SPECIFY SPI	ECIES & ROUTE				
Potassium Sulphate (SOP)	7778-80-5 LD <sub>5</sub>			LD <sub>50</sub> (oral rat) 6600 mg/Kg				
Ferrous (Fe) Sulphate	7720-78	B-7 LD <sub>50</sub> (oral 1	rat) 319 mg/K	g				
	S	SECTION 3 – P	HYSICAL DATA	1				
PHYSICAL STATE:	Liquid		ODOUR & APPI	EARANCE	Brownish liquid; slight odor			
ODOUR THRESHOLD	NAV	•		SURE	NAV			
(ppm):		1						
VAPOUR DENSITY (air=1):		NAP		VITY:	1.12 g/ml			
pH: FREEZING POINT (°C)	1.6 – 2.1 4 °C	1.6 – 2.1		T (°C) N RATE:	>100°C <1			
COEFF. WATER/OIL	NAV				Soluble in water			
DIST			SOLUBILITY (in water		Soldole III water			
	SECTIO	N 4 – FIRE A	ND EXPLOSION	N DATA				
FLAMMABLE: No								
IF YES, UNDER WHAT CONDITIONS?	Prod	uct is not combus	stible; it can contrib	oute to combu	stion as a source of fuel.			
MEANS OF EXTINCTION:	Water spray or	fog, foam, Carbo	on dioxide or halon.					
SPECIAL	Water may be u	used to cool cont	ainers to prevent pr	essure build ı	up when exposed to extreme			
PROCEDURES:	heat. If possible distance as pos		ers from fire area w	vithout risk. A	Apply water from as far a			
FLASHPOINT (°C) &		51010.	AUTOIGNITI	ON				
METHOD:	>100		TEMPERATU		NAP			
LOWER FLAMMABLE			UPPER FLAM	<b>IMABLE</b>				
LIMIT (% by volume):	NAP		LIMIT (% by volume)	١•	NAP			
SENSITIVITY TO			SENSITIVITY					
IMPACT:	No evidence	2	STATIC DISC		No evidence			
HAZARDOUS COMBUST	ION	Carbon monoxid	le and Carbon dioxi	de				
PRODUCTS:								

			MATER	ΙΔΙ 5	SAFETY DAT	Δ SF	4FFT				Page	2 of 3
					REACTIVITY						1 age	2 01 3
						<i>D</i> 1111						
CHEMICAL STABILITY:	Stable under normal conditions											
INCOMPATIBILITY: Oxidizal acids and			ble substances, reducing agents, Ammonia, strong d bases.				CORROSIVE BEHAVIOUR:		Corrosive			
REACTIVITY AND CONDITIONS:	REACTIVITY AND UNDER WHAT CONDITIONS:  Keep away from ignition sources, shock, heat and incompatible materials.							als.				
HAZARDOUS DECO PRODUCTS:	ОМРО	SITION	;	See haz	zardous combustio	n prod	ucts (Sect	ion 4).				
		SECT	TON 6 – TO	OXIC	OLOGICAL PR	ROPE	RTIES					
ROUTES OF ENTRY	Y:											
SKIN CONTACT:	No	SKIN ABSOR	PTION:	No	EYE CONTACT:	Yes	INHALA	TION:	No	INGES	STION:	Yes
EFFECTS OF ACUT	E EXI	POSURE	TO PRODU	JCT:		•		,				
INGESTION: Ingestion of large amounts may cause gastrointestinal irritation characterized by abdominal cramps, nausea, vomiting and bloody diarrhea. Ingestion may also cause headaches, labored breathing, confusion, dizziness, convulsions and collapse.						ıs,						
INHALATION: NAP												
EYE CONTACT: May cause eye irritation												
SKIN CONTACT:	May	cause skir	irritation									
EFFECTS OF CHRO	ONIC I	EXPOSU	RE:									
Chronic exposure may exposure	cause	headache	and Chronic	derma	titis or an allergic	skin se	nsitizatio	n may a	also de	velop f	rom repe	ated
EXPOSURE STAND	ARDS	:										
MUTAGENICITY:			NAV									
REPRODUCTIVE H	IAZAR	ED:	NAV		TERATOGENI		: NA	V				
IRRITANCY:			Yes		SENSITIZATIO	ON:	Ye	S				
SYNERGISTIC PRO	DUCT	rs:	NAV									
			SECTION 7	7 – PR	EVENTIVE MI	EASU.	RES					
PERSONAL					nt rubber type glov							
<b>PROTECTIVE Respirator:</b> Wear- NIOSH approved filter cartridge to remove avoid inhalation of vapours. <b>EQUIPMENT: Eye:</b> Wear goggles, Footwear- work boot/rubber boots.												
EQUITMENT.		_						1				
ENGINEEDING					pants - no special				•			
ENGINEERING CONTROLS:		General	mecnanicai v	entiiat	ion is adequate, m	ınımıze	e vapour g	generat	ion.			
HANDLING				•	precaution have be					•	nd skin	
PROCEDURES: STORAGE	ROCEDURES: contact. Avoid inhalation of vapours. Do not puncture, drag or slide container.  FORAGE Store in cool, dry area and well ventilated area. Keep container closed.											
REQUIREMENTS:			•									
LEAK AND SPILL PROCEDURE:						ash.						
WASTE DISPOSAL:	:	Disposal in accordance with Federal, Provincial & Municipal waste regulations.										

	MATERIAL SAFETY DATA SHEET Page 3 of 3
	SECTION 8 – FIRST AID MEASURES
INHALATION:	Move victim to fresh air. Give artificial respiration ONLY if breathing has stopped, assist breathing with oxygen. Obtain medical assistance immediately.
SKIN CONTACT:	Remove contaminated clothing. Wash affected area with water for a minimum of 15 minutes. Obtain medical attention if irritation or redness persists.
EYE CONTACT:	Flush eyes thoroughly while holding both upper and lower eye lids for a minimum of 15 minutes. Obtain medical attention.
INGESTION:	Do not attempt to give anything by mouth to unconscious victim. If victim is alert and not convulsing, rinse mouth and give water to dilute material. Do not induce vomiting. If vomiting occurs, have victim lean forward with head down to avoid breathing in vomit, rinse mouth. Obtain medical attention immediately.
	SECTION 9 – DEPARTMENT OF TRANSPORTATION

## SHIPPING INFORMATION

US and Canada: Not regulated

International Shipping: Not regulated

**TDG:** Not regulated. IATA: Not regulated

## **SECTION 10 – PREPARATION DATE OF MSDS**

PREPARED BY: Agrisol Manufacturing Inc.

220 - 7565, 132 Street, Surrey, BC, V3Z 1K7

Canada

**BUSINESS NUMBER:** 604-805-2417

**DATE:** November, 2015 **ADDITIONAL INFORMATION:** At the time of preparation, the information and

data contained in this MSDS are believed to be accurate and have been compiled from

sources that are believed to be reliable.